

RESPONSE TO OFFICE ACTION
DATED MAY 4, 2005

Appln. No. 10/613,804

- 3 -

June 6, 2005

Amendments to the Claims

This listing of claims will replace any prior version or listing of claims in the application.

Listing of Claims

Claims 1-23 (canceled).

24 (previously presented). A knife gate valve having a knife gate movable within a housing to effect opening and closing of said valve, said knife gate having oppositely facing surfaces oriented transversely to an axial direction defining flow through said valve, said knife gate valve comprising:

a flexible, resilient loop mounted within said housing adjacent to said knife gate, said loop comprising:

a sealing lobe extending around said loop, said sealing lobe having a deformable sealing surface facing in said axial direction and being engageable with one of said knife gate surfaces to effect a fluid tight seal when said one surface is moved into engagement with said sealing lobe to close said valve;

a first channel extending around said loop and positioned opposite to said sealing lobe, said first channel facing in said axial direction away from said sealing lobe; and

a second channel extending around said loop and positioned contiguous to said sealing lobe, said second channel facing inwardly of said housing.

25 (original). A knife gate valve according to Claim 24, wherein said loop has a substantially circular shape.

26 (original). A knife gate valve according to Claim 24, further comprising a reinforcing band positioned substantially

RESPONSE TO OFFICE ACTION
DATED MAY 4, 2005

Appln. No. 10/613,804

- 4 -

June 6, 2005

within one of said first and second channels, said reinforcing band extending around said loop.

27 (original). A seal according to Claim 24, wherein said reinforcing band extends substantially completely around said loop.

28 (original). A knife gate valve according to Claim 26, wherein said reinforcing band is positioned substantially within said first channel.

29 (original). A knife gate valve according to Claim 28, wherein said reinforcing band is substantially encapsulated within said loop.

30 (original). A knife gate valve according to Claim 26, wherein said reinforcing band has a toroidal shape.

31 (original). A knife gate valve according to Claim 24, wherein said loop is formed from a material selected from the group consisting of natural rubber, elastomeric compounds and thermoplastics.

32 (original). A knife gate valve according to Claim 24, wherein said deformable sealing surface comprises:

a leading edge projecting in said axial direction;
a first annular surface extending inwardly of said loop from said leading edge; and

a second annular surface extending outwardly of said loop from said leading edge.

33 (original). A knife gate valve according to Claim 32, wherein one of said annular surfaces is angularly oriented toward said first channel.

34 (original). A knife gate valve according to Claim 32, wherein one of said annular surfaces is substantially flat.

35 (previously presented). A knife gate valve according to Claim 24, further comprising:

another flexible, resilient loop mounted within said housing adjacent to said knife gate, said loop comprising:

another sealing lobe extending around said other loop, said other sealing lobe having another deformable sealing surface facing in said axial direction and being engageable with another of said knife gate surfaces to effect a fluid tight seal when said other surface is moved into engagement with said other sealing lobe to close said valve;

a third channel extending around said other loop and positioned opposite to said other sealing lobe, said third channel facing in said axial direction away from said other sealing lobe;

a fourth channel extending around said other loop and positioned contiguous to said other sealing lobe, said fourth channel facing inwardly of said housing; and

said knife gate being movable from a closed position between said seals wherein said sealing lobes engage said oppositely facing surfaces, to an open position wherein said knife gate is removed from between said seals, said sealing lobes being positioned within said housing in facing relationship and engaging one another under compression so as to effect a seal around said housing.

36 (original). A knife gate valve according to Claim 35, wherein said other loop further comprising another reinforcing band positioned substantially within one of said third and fourth channels, said other reinforcing band extending around said other loop.

RESPONSE TO OFFICE ACTION
DATED MAY 4, 2005

Appln. No. 10/613,804

- 6 -

June 6, 2005

37 (original). A knife gate valve according to Claim 36, wherein said other reinforcing band is positioned substantially within said third channel.

38 (original). A knife gate valve according to Claim 37, wherein said other reinforcing band is substantially encapsulated within said other loop.

39 (original). A knife gate valve according to Claim 36, wherein said other reinforcing band has a toroidal shape.

40 (original). A knife gate valve according to Claim 35, wherein said other loop is formed from a material selected from the group consisting of natural rubber, elastomeric compounds and thermoplastics.

41 (original). A knife gate valve according to Claim 35, wherein said other deformable sealing surface comprises:
another leading edge projecting in said axial direction;
a third annular surface extending inwardly of said other loop from said other leading edge; and

a fourth annular surface extending outwardly of said other loop from said other leading edge.

42 (original). A knife gate valve according to Claim 41, wherein one of said third and fourth annular surfaces is angularly oriented toward said third channel.